


COMMENT CHOISIR LA BONNE CONTREPARTIE ?



CHANNEL XTC (base plastique)

Hauteur A	Largeur B	mètres par boîte	épaisseur filet	Référence	
				CENTRÉ	DECENTRÉ
0.30	0.60	24	2/3 Pts	F0990	
0.30	0.80	24	2/3 Pts	F0483	F0485
0.30	1.0	24	2/3 Pts	F1156	F7150
0.30	1.1	24	2/3 Pts	F1893	F1899
0.30	1.2	24	2/3 Pts	F4336	
0.30	1.3	24	2/3 Pts	F1850	F1870
0.30	1.4	24	2/3 Pts	F1847	
0.30	1.5	24	2/3 Pts	F6718	F0978
0.30	1.6	24	2/3 Pts	F6759	
0.30	1.7	24	2/3 Pts	F6764	
0.30	1.9	24	2/3 Pts	F1270	F6719
0.40	0.60	24	2/3 Pts		
0.40	0.80	24	2/3 Pts	F5828	F6226
0.40	1.0	24	2/3 Pts	F0989	F0985
0.40	1.1	24	2/3 Pts		
0.40	1.2	24	2/3 Pts	F4341	
0.40	1.3	24	2/3 Pts	F1349	F2283
0.40	1.4	24	2/3 Pts	F6787	
0.40	1.5	24	2/3 Pts	F9223	
0.40	1.6	24	2/3 Pts		F7312
0.40	1.7	24	2/3 Pts	F0489	
0.40	1.9	24	2/3 Pts		
0.45	0.60	24	2/3 Pts		
0.45	0.80	24	2/3 Pts		
0.45	1.0	24	2/3 Pts	F5829	F6689
0.45	1.1	24	2/3 Pts		
0.45	1.2	24	2/3 Pts		
0.45	1.3	24	2/3 Pts	F6489	F4470
0.45	1.4	24	2/3 Pts		
0.45	1.5	24	2/3 Pts	F2375	F9639
0.45	1.6	24	2/3 Pts		
0.45	1.7	24	2/3 Pts		
0.45	1.9	24	2/3 Pts		F2518
0.50	0.60	24	2/3 Pts		

CHANNEL XTC (base plastique)

Hauteur A	Largeur B	mètres par boîte	épaisseur filet	Référence	
				CENTRÉ	DECENTRÉ
0.50	0.80	24	2/3 Pts		
0.50	1.0	24	2/3 Pts		
0.50	1.1	24	2/3 Pts		
0.50	1.2	24	2/3 Pts		
0.50	1.3	24	2/3 Pts	F0988	F0987
0.50	1.4	24	2/3 Pts	F7168	
0.50	1.5	24	2/3 Pts	F0986	F0976
0.50	1.6	24	2/3 Pts		
0.50	1.7	24	2/3 Pts	F6228	F4565
0.50	1.9	24	2/3 Pts	F5544	
0.50	2.1	24	2/3 Pts		
0.50	2.3	24	2/3 Pts	F4471	
0.55	0.60	24	2/3 Pts		
0.55	0.80	24	2/3 Pts		
0.55	1.0	24	2/3 Pts		
0.55	1.1	24	2/3 Pts		
0.55	1.2	24	2/3 Pts		
0.55	1.3	24	2/3 Pts	F2769	
0.55	1.4	24	2/3 Pts		
0.55	1.5	24	2/3 Pts		
0.55	1.6	24	2/3 Pts		
0.55	1.7	24	2/3 Pts		
0.55	1.9	24	2/3 Pts	F2324	
0.55	2.1	24	2/3 Pts		
0.55	2.3	24	2/3 Pts		
0.60	1.0	24	2/3 Pts		
0.60	1.1	24	2/3 Pts		
0.60	1.2	24	2/3 Pts		
0.60	1.3	24	2/3 Pts		
0.60	1.4	24	2/3 Pts		
0.60	1.5	24	2/3 Pts	F1186	
0.60	1.6	24	2/3 Pts		
0.60	1.7	24	2/3 Pts	F0979	F2322
0.60	1.9	24	2/3 Pts		
0.60	2.1	24	2/3 Pts		
0.60	2.3	24	2/3 Pts		
0.60	2.5	24	2/3 Pts		
0.60	2.7	24	2/3 Pts	F7169	
0.60	3.0	24	2/3 Pts		
0.65	1.3	24	2/3 Pts		
0.65	1.4	24	2/3 Pts		
0.65	1.5	24	2/3 Pts		
0.65	1.6	24	2/3 Pts		
0.65	1.7	24	2/3 Pts		
0.65	1.9	24	2/3 Pts		
0.65	2.1	24	2/3 Pts		
0.65	2.3	24	2/3 Pts		

CHANNEL XTC (base plastique)

Hauteur	Largeur	mètres par	épaisseur	Référence	
A	B	boite	filet	CENTRÉ	DECENTRÉ
0.65	2.5	24	2/3 Pts	F2332	
0.65	2.7	24	2/3 Pts		
0.65	3.0	24	2/3 Pts		
0.70	1.3	24	2/3 Pts		
0.70	1.4	24	2/3 Pts		
0.70	1.5	24	2/3 Pts		
0.70	1.6	24	2/3 Pts		
0.70	1.7	24	2/3 Pts		
0.70	1.9	24	2/3 Pts		
0.70	2.1	24	2/3 Pts		
0.70	2.3	24	2/3 Pts		
0.70	2.5	24	2/3 Pts		
0.70	2.7	24	2/3 Pts		
0.70	3.0	24	2/3 Pts		
0.80	1.5	24	2/3 Pts	F2165	
0.80	1.6	24	2/3 Pts		
0.80	1.7	24	2/3 Pts		
0.80	1.9	24	2/3 Pts		
0.80	2.1	24	2/3 Pts		
0.80	2.3	24	2/3 Pts		
0.80	2.5	24	2/3 Pts		
0.80	2.7	24	2/3 Pts	F4472	
0.80	3.0	24	2/3 Pts		
1.0	2.3	24	2/3 Pts		
1.0	2.5	24	2/3 Pts		
1.0	2.7	24	2/3 Pts		
1.0	3.0	24	2/3 Pts	F3748	